

No.G.8(1)B/2008-09
Dated the 21st April 2009

**Sub: Mobile Storage System for filing the approximately 31,000 files
– Compactor regarding.**

Office of Dy. Chief Controller of Explosives, Baroda intends to install a mobile storage system, which shall be of description & specification as described below:

Lowest offers in a sealed envelope are invited from reputed firms having experience in the field so as to reach this office on or before 22nd May 2009. This offers should be accompanied by copies, if any, of orders of supplies made to any government / public sector organizations.

Specification of the proposed mobile storage system

Designing, Manufacturing, Supply and Installation

Mechanical type 4 BAY Mobile Storage System

1. (SFF) Single Faced Fixed Unit
Over size:- H-2362 x W-3660 x D-381 mm
2. (DFM) Double Faced Mobile unit
Over size:- H-2362 x W-3660 x D-762 mm

The system will have 52 cabinets, and each cabinet will have 5 adjustable shelves making 6 compartments. Total number of storage level is $52 \times 6 = 312$, which can accommodate approximately 31,000/- files.

All steel parts of the cabinet will be 20 swg. CRCA IS 513 'D' grade 8 tanks antirust treated (MARPOL) Powder Coating.

For any query on the matter, the office of Dy. Chief Controller of Explosives, Baroda may be contacted either in person or on telephone No. 0265-2361035 or by e-mail at dyccbaroda@explosives.gov.in.

Sd/-
Dy. Chief Controller of Explosives
Baroda