

Website : <http://peso.gov.in>
Email: explosives@explosives.gov.in
दूरभाष/ Telephone : 0712-2510248
फैक्स/ FAX : 2510577

कार्यालयीन उद्देश्य के सभी पत्रादि "मुख्य विस्फोटक नियंत्रक" के पदनाम से भेजे जाएं उनके व्यक्तिगत नाम से नहीं।

All communications intended for this Office should be addressed to the 'Chief Controller of Explosives' and NOT to him by name.



भारत सरकार

GOVERNMENT OF INDIA

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन
Petroleum and Explosives Safety Organisation

(पूर्व नाम - विस्फोटक विभाग)

(Formerly- Department of Explosives)

"ए-ब्लॉक ५, पाँचवा तल, केन्द्रीय कार्यालय परिसर,

"A" Block, 5th Floor, CGO Complex,

सेमिनरी हिल्स, नागपूर - 440 006 (महा)

Seminary Hills, Nagpur- 440006

Urgent Through PESO Website & LMOMS Portal

दिनांक /Nagpur, dated : 12/01/2022

संख्या/No - G.40 (Misc) R.Min

To,

1. All liquid oxygen manufacturers.
2. Steel Manufacturing Plants
3. Liquid Oxygen Manufacturer attached to steel plants
4. All E& F license holders having ASU Plants.

Sub: Readiness for ramping up Oxygen Production at short notice - Reg

Sir,

This has reference to the directions received from EG-4 Committee regarding production of liquid oxygen in the country.

All the Liquid Oxygen Manufacturers and ASU Manufacturing Plants are hereby requested to ensure readiness of the plants and to ramp up of production of oxygen in their plants at a short notice, as and when required. They shall also keep adequate stock of liquid oxygen to meet any exigencies.

Yours faithfully,

(P. Kumar)

Chief Controller of Explosives (A/C)

Copy to:

1. Shri Sushil K. Satpute, Director, Department for Promotion of Industry and Internal Trade, Ministry of Commerce and Industry, Udyog Bhavan, New Delhi 110 011: He is kindly requested to convey the information to Ministry of Steel through DPIIT.
2. Shri Saket Tiku, President, AllGMA: He is advised to convey to all the members of AllGMA to ramp up the production of oxygen at a short notice as and when required.
3. All Nodal officers of Circle, Sub-Circle offices of PESO: They are advised to closely monitor the production of liquid oxygen and data entry made in the LMOMS Portal by manufacturers on daily basis.

Chief Controller of Explosives (A/C)