



भारत सरकार  
विस्फोटक विभाग  
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन  
उप मुख्य विस्फोटक नियंत्रक का कार्यालय  
विभागीय परीक्षण केन्द्र

18 कि.मी. अमरावती रोड, / 18 K.M. Stone Amravati Road  
गोंडखैरी / Gondkhairi,  
नागपुर / Nagpur – 440 023 (M.S.).

दूरभाष / Phone: 07104-240242/240330  
फैक्स / Fax: 07104-2403  
e-mail:-[dyccedts@explosives.gov.in](mailto:dyccedts@explosives.gov.in)

संख्या/No: DTS/EXP/FW/114/V

दिनांक : 17/12/2015

ज्ञापन

विषय : फटाखों के नमूनों की परीक्षण रिपोर्ट भेजने के सम्बन्ध में ।

मुख्य विस्फोटक नियंत्रक के ज्ञापन क्रमांक R-4(2)83/Court Case No.44Dt. 23/11/2009 संदर्भ में विस्फोटक नियंत्रक के वर्धा के अधिकारी द्वारा संग्रहित कीये गए निम्नलिखित नमूनों की परीक्षण रिपोर्ट आगामी उचित कार्यवाही हेतु अग्रेषित हैं ।

Sr. No.	Name of Licensee	License No.	Name of Samples
1	Rajesh Ramlal Thantharate, Bhadara	(E-14620)	Cammando Bomb, Gold Laxmi, Hydro Bomb
2	Baldeo Prasad S. Agrawal, Bhadara	(E-15032)	Moti Bomb Cake Bomb
3	Shri Vijay V. Raut, Wardha	(E-14507)	Hydrogen Bomb Green, 9cm Laxmi Crackers
4	Deepak Shridhar Weginwar, Gondpipri, Dist.- Chandrapur	(E-14617)	Tiger Fighter Dlx. (24 Wala) Hydrogen Green Bomb

कृपया परीक्षण रिपोर्टों की प्राप्ति स्वीकार करें ।

संलग्न : परीक्षण रिपोर्ट संख्या : 9 (in 2 sets)

35439  
5/12/2015

21/12/2015  
(आर.ए. गुजर)


उप मुख्य विस्फोटक नियंत्रक

प्रती

श्रीमान मुख्य विस्फोटक नियंत्रक, नागपुर ।

प्रतिलिपी

श्रीमान विस्फोटक नियंत्रक , वर्धा



उप मुख्य विस्फोटक नियंत्रक


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/482
2. Brand Name : Commando Bomb
3. Name of Manufacturer : Deepam Fireworks Factory, Sivakasi
4. Name of Licensee : Rajesh Ramlal Thantharate, Bhandara
5. Address of Licensee : Bhandara
6. License No. : E/WC/MH/24/48 (E14620)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 24/11/2015
12. Sample tested on : 24/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	122.8 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/483
2. Brand Name : Gold Laxmi
3. Name of Manufacturer : Seven Hills Fireworks, Sivakasi
4. Name of Licensee : Rajesh Ramlal Thantharate, Bhandara
5. Address of Licensee : Bhandara
6. License No. : E/WC/MH/24/48 (E14620)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 24/11/2015
12. Sample tested on : 24/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	121.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/484
2. Brand Name : Hydro Bomb
3. Name of Manufacturer : M.S.K. Fireworks, Sivakasi
4. Name of Licensee : Rajesh Ramlal Thantharate, Bhandara
5. Address of Licensee : Bhandara
6. License No. : E/WC/MH/24/48 (E14620)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 24/11/2015
12. Sample tested on : 24/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	122.8 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/485
2. Brand Name : Moti Bomb
3. Name of Manufacturer : Shama Fireworks Industries, Jalgaon
4. Name of Licensee : Baldeo Prasad S. Agrawal, Bhandara
5. Address of Licensee : Bhandara
6. License No. : E/WC/MH/24/186 (E15032)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Wardha
10. Sample Drawn on : 03 /11/2015
11. Sample received on : 24/11/2015
12. Sample tested on : 24/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	121.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/486
2. Brand Name : Cake Bomb
3. Name of Manufacturer : Ayyan Fireworks Industries, Sivakasi
4. Name of Licensee : Baldeo Prasad S. Agrawal, Bhandara
5. Address of Licensee : Bhandara
6. License No. : E/WC/MH/24/186 (E15032)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 24/11/2015
12. Sample tested on : 24/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	122.9 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/495
2. Brand Name : Hydrogen Bomb Green
3. Name of Manufacturer : Jumbo Fireworks Industries, Sivakasi
4. Name of Licensee : Vijay V. Raut
5. Address of Licensee : Wardha
6. License No. : E/WC/MH/24/19 (E14507)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Wardha
10. Sample Drawn on : 01/11/2015
11. Sample received on : 28/11/2015
12. Sample tested on : 28/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	121.5dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/496
2. Brand Name : 9cm Laxmi Crackers
3. Name of Manufacturer : SFW (P) Ltd. Factory, Sivakasi
4. Name of Licensee : Vijay V. Raut
5. Address of Licensee : Wardha
6. License No. : E/WC/MH/24/19 (E14507)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Wardha
10. Sample Drawn on : 01/11/2015
11. Sample received on : 28/11/2015
12. Sample tested on : 28/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	119.0dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives




## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/495
2. Brand Name : Hydrogen Bomb Green
3. Name of Manufacturer : Jumbo Fireworks Industries, Sivakasi
4. Name of Licensee : Vijay V. Raut
5. Address of Licensee : Wardha
6. License No. : E/WC/MH/24/19 (E14507)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Wardha
10. Sample Drawn on : 01/11/2015
11. Sample received on : 28/11/2015
12. Sample tested on : 28/11/2015

## SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	121.5dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/502
2. Brand Name : Tiger Fighter Dlx.(24Wala)
3. Name of Manufacturer : Vasuki Fireworks, Sivakasi
4. Name of Licensee : Deepak Shridhar Weginwar
5. Address of Licensee : Gondpipri, Dist.- Chandrapur
6. License No. : E/WC/MH/24/47 (E14617)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. Controller of Explosives, Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 02/12/2015
12. Sample tested on : 03/12/2015

## SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (118.4 dB Max)	115.8dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/503
2. Brand Name : Hydrogen Green
3. Name of Manufacturer : Vellaiammal Fireworks Industries, Sivakasi
4. Name of Licensee : Deepak Shridhar Weginwar
5. Address of Licensee : Gondpipri, Dist.- Chandrapur
6. License No. : E/WC/MH/24/47 (E14617)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. Controller of Explosives, Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 02/12/2015
12. Sample tested on : 03/12/2015

## SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	123.2dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/482
2. Brand Name : Commando Bomb
3. Name of Manufacturer : Deepam Fireworks Factory, Sivakasi
4. Name of Licensee : Rajesh Ramlal Thantharate, Bhandara
5. Address of Licensee : Bhandara
6. License No. : E/WC/MH/24/48 (E14620)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 24/11/2015
12. Sample tested on : 24/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	122.8 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/483
2. Brand Name : Gold Laxmi
3. Name of Manufacturer : Seven Hills Fireworks, Sivakasi
4. Name of Licensee : Rajesh Ramlal Thantharate, Bhandara
5. Address of Licensee : Bhandara
6. License No. : E/WC/MH/24/48 (E14620)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 24/11/2015
12. Sample tested on : 24/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	121.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/484
2. Brand Name : Hydro Bomb
3. Name of Manufacturer : M.S.K. Fireworks, Sivakasi
4. Name of Licensee : Rajesh Ramlal Thantharate, Bhandara
5. Address of Licensee : Bhandara
6. License No. : E/WC/MH/24/48 (E14620)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 24/11/2015
12. Sample tested on : 24/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	122.8 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/485
2. Brand Name : Moti Bomb
3. Name of Manufacturer : Shama Fireworks Industries, Jalgaon
4. Name of Licensee : Baldeo Prasad S. Agrawal, Bhandara
5. Address of Licensee : Bhandara
6. License No. : E/WC/MH/24/186 (E15032)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Wardha
10. Sample Drawn on : 03 /11/2015
11. Sample received on : 24/11/2015
12. Sample tested on : 24/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	121.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/486
2. Brand Name : Cake Bomb
3. Name of Manufacturer : Ayyan Fireworks Industries, Sivakasi
4. Name of Licensee : Baldeo Prasad S. Agrawal, Bhandara
5. Address of Licensee : Bhandara
6. License No. : E/WC/MH/24/186 (E15032)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 24/11/2015
12. Sample tested on : 24/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	122.9 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives




## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/495
2. Brand Name : Hydrogen Bomb Green
3. Name of Manufacturer : Jumbo Fireworks Industries, Sivakasi
4. Name of Licensee : Vijay V. Raut
5. Address of Licensee : Wardha
6. License No. : E/WC/MH/24/19 (E14507)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Wardha
10. Sample Drawn on : 01/11/2015
11. Sample received on : 28/11/2015
12. Sample tested on : 28/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	121.5dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/496
2. Brand Name : 9cm Laxmi Crackers
3. Name of Manufacturer : SFW (P) Ltd. Factory, Sivakasi
4. Name of Licensee : Vijay V. Raut
5. Address of Licensee : Wardha
6. License No. : E/WC/MH/24/19 (E14507)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Wardha
10. Sample Drawn on : 01/11/2015
11. Sample received on : 28/11/2015
12. Sample tested on : 28/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	119.0dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/495
2. Brand Name : Hydrogen Bomb Green
3. Name of Manufacturer : Jumbo Fireworks Industries, Sivakasi
4. Name of Licensee : Vijay V. Raut
5. Address of Licensee : Wardha
6. License No. : E/WC/MH/24/19 (E14507)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Wardha
10. Sample Drawn on : 01/11/2015
11. Sample received on : 28/11/2015
12. Sample tested on : 28/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	121.5dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/502
2. Brand Name : Tiger Fighter Dlx.(24Wala)
3. Name of Manufacturer : Vasuki Fireworks, Sivakasi
4. Name of Licensee : Deepak Shridhar Weginwar
5. Address of Licensee : Gondpipri, Dist.- Chandrapur
6. License No. : E/WC/MH/24/47 (E14617)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. Controller of Explosives, Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 02/12/2015
12. Sample tested on : 03/12/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (118.4 dB Max)	115.8dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/503
2. Brand Name : Hydrogen Green
3. Name of Manufacturer : Vellaiammal Fireworks Industries, Sivakasi
4. Name of Licensee : Deepak Shridhar Weginwar
5. Address of Licensee : Gondpipri, Dist.- Chandrapur
6. License No. : E/WC/MH/24/47 (E14617)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. Controller of Explosives, Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 02/12/2015
12. Sample tested on : 03/12/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	123.2dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives



भारत सरकार  
विस्फोटक विभाग  
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन  
उप मुख्य विस्फोटक नियंत्रक का कार्यालय  
विभागीय परीक्षण केन्द्र

3544L  
5/12/2016

18 कि.मी. अमरावती रोड, / 18 K.M. Stone Amravati Road  
गोंडखैरी / Gondkhairi,  
नागपुर / Nagpur – 440 023 (M.S.).

दूरभाष / Phone: 07104-240242/240330  
फैक्स / Fax: 07104-2403  
e-mail:-[dyccecdts@explosives.gov.in](mailto:dyccecdts@explosives.gov.in)

संख्या/No: DTS/EXP/FW/114/V

दिनांक : 16/12/2015

ज्ञापन


23 DEC 2015

विषय : फटाखों के नमूनों की परीक्षण रिपोर्ट भेजने के सम्बन्ध में ।

मुख्य विस्फोटक नियंत्रक के ज्ञापन क्रमांक R-4(2)83/Court Case No.44Dt. 23/11/2009 संदर्भ में विस्फोटक नियंत्रक के वर्धा के अधिकारी द्वारा संग्रहित कीये गए निम्नलिखित नमूनों की परीक्षण रिपोर्ट आगामी उचित कार्यवाही हेतु अग्रेषित हैं ।

Sr. No.	Name of Licensee	License No.	Name of Samples
1	Smt. Geeta Premchand Nathani, Wardha	DM Lic. No. 4/1998	Jhansi Bomb, Hydro Bomb
2	Shri Vijay V. Deshmukh, Wardha	DM Lic. No. 2/1998	Ghost Rider Bomb, Jhansi Bomb
3	Shri Hemant Deshmukh, Wardha	DM Lic. No. 7/1988	Jhansi Bomb, Hydrogen 30 Foil
4	Shri Lacciram Nainani, Hinganghat	DM Lic. No. 21/2005	Hydro Bomb
5	Chandiram Lacciram Nainani, Hinganghat	DM Lic. No. 08/1990	Sholay Bomb, 4"Hulk, Saddam Bomb, Hydro Bomb
6	Ramchand Deepchand Mihani, Hinganghat	DM Lic. No. 1/1989	4" Ganesh, Hydrogen Bomb, Hydro Bomb, King of King Bomb,
7	Shri Mirza Shakil Beg, Hinganghat	DM Lic. No. 17/1989	Hydrogen Bomb, Sholay Bomb 3.5"Laxmi
8	Shri Hemant Marotrao Sorte, Hinganghat	DM Lic. No. 6/1997	Bullt Bomb, Hydro Bomb
9	Shri Maniklal Ramkishandas Mohta, Hinganghat	DM Lic. No. 102/1983	Bullet Bomb, 3.5"Laxmi
10	Shri Vinod Dhobale, Wardha	DM Lic. No. 3/1993 (E-37199)	Thunder Bomb, 4"Laxmi, Jhansi Bomb, Thunder Bomb, World Champions Foil
11	Shri Pravin Gamaji Motghare, Bhandara	(E-31934)	Tiger Bomb, Hydro Bomb, Saddam Bomb
12	Rathi Fataka Bhandar, Bhandara	(E-14743)	4"ChimaSamurai Hydro Bomb King of King
13	Admane Fataka Centre, Bhandara	(E-53840)	4"Krishna, 3Sound, Hydro Bomb Green
14	Admane Fireworks, Bhandara	(E-25739)	Bijili Crackers, Shogun Bomb Foils
15	Smt. Yogini Waman Hatwar, Bhandara	(E-14559)	Super Bomb Thunder Bomb Lalkar Bomb
16	R.V. Thangadpalliwar, Chandrapur	(E-15108)	Soldier Bomb Saddam Bomb
17	Harikisen Murlidher Agarwal, Durgapur	(E-15007)	Mega Flash, Soldier Bomb Green
18	Ashok Digamber Adgurwar, Chandrapur	(E-15201)	Hydrogen Bomb, Commando Bomb

कृपया परीक्षण रिपोर्टों की प्राप्ति स्वीकार करें ।  
संलग्न : परीक्षण रिपोर्ट संख्या : 47 (in 2 sets)



23/11  
(आर.ए. गुजर)  
उप मुख्य विस्फोटक नियंत्रक

प्रती  
प्रतिलिपी

श्रीमान मुख्य विस्फोटक नियंत्रक, नागपुर ।  
श्रीमान विस्फोटक नियंत्रक, वर्धा

उप मुख्य विस्फोटक नियंत्रक


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/420
2. Brand Name : Jhansi Ki Rani Green (Atom Bomb)
3. Name of Manufacturer : Malti Fireworks Factory, Parola Maharashtra
4. Name of Licensee : Smt. Geeta Premchand Nathani
5. Address of Licensee : Wardha
6. License No. : DM Licence No. 4/1998
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 09/11/2015
11. Sample received on : 16/11/2015
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	121.6 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/421
2. Brand Name : Hydro Bomb (Atom Bomb)
3. Name of Manufacturer : Gems Fireworks, Sivakasi
4. Name of Licensee : Smt. Geeta Premchand Nathani
5. Address of Licensee : Wardha
6. License No. : DM Licence No. 4/1998
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 09/11/2015
11. Sample received on : 16/11/2015
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	115.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives




### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/422
2. Brand Name : Ghost Rider Bomb (Atom Bomb)
3. Name of Manufacturer : Sri Ambigai Fireworks Factory, Sivakasi
4. Name of Licensee : Shri Vijay V. Deshmukh
5. Address of Licensee : Wardha
6. License No. : DM Licence No. 02/1998
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 09/11/2015
11. Sample received on : 16/11/2015
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	114.7 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/423
2. Brand Name : Jhansi Ki Rani Green (Atom Bomb)
3. Name of Manufacturer : Malti Fireworks Factory, Parola Maharashtra
4. Name of Licensee : Shri Vijay V. Deshmukh
5. Address of Licensee : Wardha
6. License No. : DM Licence No. 02/1998
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 09/11/2015
11. Sample received on : 16/11/2015
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	116.9 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/424
2. Brand Name : Jhansi Ki Rani Green (Atom Bomb)
3. Name of Manufacturer : Malti Fireworks Factory, Parola Maharashtra
4. Name of Licensee : Shri Hemant Deshmukh
5. Address of Licensee : Wardha
6. License No. : DM Licence No. 07/1989
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 09/11/2015
11. Sample received on : 16/11/2015
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	120.8 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/425
2. Brand Name : Hydrogen 30 Foil (Atom Bomb)
3. Name of Manufacturer : Sunshine Pyroetech India, Sivakasi
4. Name of Licensee : Shri Hemant Deshmukh
5. Address of Licensee : Wardha
6. License No. : DM Licence No. 07/1989
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 09/11/2015
11. Sample received on : 16/11/2015
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	121.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/426
2. Brand Name : Hydro Bomb (Atom Bomb)
3. Name of Manufacturer : Rajesh Fireworks Industries, Sivakasi
4. Name of Licensee : Shri Suresh Lacciram Nainani
5. Address of Licensee : Hinganghat, Distt - Wardha
6. License No. : DM Licence No. 21/2005
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 06/11/2015
11. Sample received on : 16/11/2015
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	114.8 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/427
2. Brand Name : Sholey Bomb (Atom Bomb)
3. Name of Manufacturer : Rajesh Fireworks Industries, Sivakasi
4. Name of Licensee : Shri Chandiram Lacciram Nainani
5. Address of Licensee : Higanghat, Distt- Wardha
6. License No. : DM Licence No. 08/1990
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 06/11/2015
11. Sample received on : 16/11/2015
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	110.0 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/428
2. Brand Name : Hulk 4" (Maroon)
3. Name of Manufacturer : Shri Pathi Fireworks ,Sivakasi
4. Name of Licensee : Shri Chandiram Lacciram Nainani
5. Address of Licensee : Higanghat, Distt- Wardha
6. License No. : DM Licence No. 08/1990
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 06/11/2015
11. Sample received on : 16/11/2015
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	112.6 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/429
2. Brand Name : Saddam Bomb (Atom Bomb)
3. Name of Manufacturer : Not printed on packet
4. Name of Licensee : Shri Chandiram Lacciram Nainani
5. Address of Licensee : Higanghat, Distt- Wardha
6. License No. : DM Licence No. 08/1990
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 06/11/2015
11. Sample received on : 16/11/2015
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	115.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives




### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/430
2. Brand Name : Hydro Bomb (Atom Bomb)
3. Name of Manufacturer : Rajesh Fireworks Industries, Sivakasi
4. Name of Licensee : Shri Chandiram Lacciram Nainani
5. Address of Licensee : Higanghat, Distt- Wardha
6. License No. : DM Licence No. 08/1990
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 06/11/2015
11. Sample received on : 16/11/2015
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	112.8 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/431
2. Brand Name : 4" Ganesh (Maroon)
3. Name of Manufacturer : INI Fireworks , Sivakasi
4. Name of Licensee : Shri Ramchand Deepchand Mihani
5. Address of Licensee : Hinganghat, Distt -Wardha
6. License No. : DM Licence No. 01/1989
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 06/11/2015
11. Sample received on : 16/11/2015
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	118.7 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/432
2. Brand Name : Hydrogen Bomb
3. Name of Manufacturer : Parasram Fireworks Industries, Dighori, Nagpur
4. Name of Licensee : Shri Ramchand Deepchand Mihani
5. Address of Licensee : Hinganghat, Distt -Wardha
6. License No. : DM Licence No. 01/1989
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 06/11/2015
11. Sample received on : 16/11/2015
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	115.9 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/433
2. Brand Name : Hydro Atom Bomb
3. Name of Manufacturer : Jai Maharashtra Fireworks , Chosala, Distt- Beed, Maharashtra
4. Name of Licensee : Shri Ramchand Deepchand Mihani
5. Address of Licensee : Hinganghat, Distt -Wardha
6. License No. : DM Licence No. 01/1989
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 06/11/2015
11. Sample received on : 16/11/2015
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	115.7 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/434
2. Brand Name : King of King (Atom Bomb)
3. Name of Manufacturer : Rose Pyrotechnic Works, Sivakasi
4. Name of Licensee : Shri Ramchand Deepchand Mihani
5. Address of Licensee : Hinganghat, Distt -Wardha
6. License No. : DM Licence No. 01/1989
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 06/11/2015
11. Sample received on : 16/11/2015
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	109.0 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/435
2. Brand Name : Hydrogen Bomb (Atom Bomb)
3. Name of Manufacturer : Parasram Fireworks Industries, Dighori, Nagpur
4. Name of Licensee : Shri Mirza Shakil Beg
5. Address of Licensee : Hinganghat, Distt -Wardha
6. License No. : DM Licence No. 17/1989
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 06/11/2015
11. Sample received on : 16/11/2015
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	115.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/436
2. Brand Name : Sholey Bomb (Atom Bomb)
3. Name of Manufacturer : Rajesh Fireworks Industries, Sivakasi
4. Name of Licensee : Shri Mirza Shakil Beg
5. Address of Licensee : Hinganghat, Distt -Wardha
6. License No. : DM Licence No. 17/1989
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 06/11/2015
11. Sample received on : 16/11/2015
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	121.9 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tangadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/437
2. Brand Name : Lakshmi 3½"
3. Name of Manufacturer : Jayshree Fireworks Industries, Sivakasi
4. Name of Licensee : Shri Mirza Shakil Beg
5. Address of Licensee : Hinganghat, Distt -Wardha
6. License No. : DM Licence No. 17/1989
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 06/11/2015
11. Sample received on : 16/11/2015
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	110.0 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives




### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/438
2. Brand Name : Bullet Bomb (Atom Bomb)
3. Name of Manufacturer : Jai Bhawani Fireworks Industries, Sivakasi
4. Name of Licensee : Shri Hemant Marotrao Sorte
5. Address of Licensee : Hinganghat, Distt -Wardha
6. License No. : DM Licence No. 06/1997
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 06/11/2015
11. Sample received on : 16/11/2015
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	109.7 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/439
2. Brand Name : Hydro Bomb (Atom Bomb)
3. Name of Manufacturer : Sri Sudarshan Fireworks Industries, Sivakasi
4. Name of Licensee : Shri Hemant Marotrao Sorte
5. Address of Licensee : Hinganghat, Distt -Wardha
6. License No. : DM Licence No. 06/1997
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 06/11/2015
11. Sample received on : 16/11/2015
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	109.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/440
2. Brand Name : Bullet Bomb (Atom Bomb)
3. Name of Manufacturer : Sri Kaleshwari Fireworks Industries, Sivakasi
4. Name of Licensee : Shri Maniklal Ramkishandas Mohta
5. Address of Licensee : Hinganghat, Distt -Wardha
6. License No. : DM Licence No. 102/1983
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 06/11/2015
11. Sample received on : 16/11/2015
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	118.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/441
2. Brand Name : Lakshmi 3½"
3. Name of Manufacturer : Akshya Fireworks Industries, Sivakasi
4. Name of Licensee : Shri Maniklal Ramkishandas Mohta
5. Address of Licensee : Hinganghat, Distt -Wardha
6. License No. : DM Licence No. 102/1983
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 06/11/2015
11. Sample received on : 16/11/2015
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	111.6 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/442
2. Brand Name : Thundar Bomb (Atom Bomb)
3. Name of Manufacturer : Standard Fireworks, Sivakasi
4. Name of Licensee : Shri Vinod Dhobale
5. Address of Licensee : Wardha
6. License No. : DM Licence No. 03/1993
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 09/11/2015
11. Sample received on : 16/11/2015
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	118.3 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/443  
2. Brand Name : 4" Lakshmi (Maroon)  
3. Name of Manufacturer : Shree Pothis Fireworks, Sivakasi  
4. Name of Licensee : Shri Vinod Dhobale  
5. Address of Licensee : Wardha  
6. License No. : DM Licence No. 03/1993  
7. CCE Approval No. : --  
8. Drawing No. : --  
9. Sample Drawn by : Controller of Explosives Wardha  
10. Sample Drawn on : 09/11/2015  
11. Sample received on : 16/11/2015  
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	118.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/444
2. Brand Name : Jhansi Bomb (Atom Bomb)
3. Name of Manufacturer : Malti Fireworks Factory, Parola, Maharashtra
4. Name of Licensee : Shri Vinod Dhobale
5. Address of Licensee : Wardha
6. License No. : DM Licence No. 03/1993
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 09/11/2015
11. Sample received on : 16/11/2015
12. Sample tested on : 16/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	121.3 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/445
2. Brand Name : Thunder Bomb (Atom Bomb)
3. Name of Manufacturer : Standard Fireworks, Sivakasi
4. Name of Licensee : Shri Vinod Dhobale
5. Address of Licensee : Wardha
6. License No. : E/WC/MH.24/492 (E-37199)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 03/10/2015
11. Sample received on : 18/11/2015
12. Sample tested on : 18/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	119.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tangadge)  
Controller of Explosives




## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/446
2. Brand Name : World Champions Foil (Atom Bomb)
3. Name of Manufacturer : Jyothi Fireworks, Sivakasi
4. Name of Licensee : Shri Vinod Dhobale
5. Address of Licensee : Wardha
6. License No. : E/WC/MH.24/492 (E-37199)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 03/10/2015
11. Sample received on : 18/11/2015
12. Sample tested on : 18/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	120.1 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/447
2. Brand Name : Tiger Atom Bomb (Atom Bomb)
3. Name of Manufacturer : Swagat Fireworks, K. Tadawle (M.S)
4. Name of Licensee : Shri Pravin Gamaji Motghare
5. Address of Licensee : Bhandara
6. License No. : E/WC/MH.24/472 (E-31934)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 19/11/2015
12. Sample tested on : 19/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	121.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/448
2. Brand Name : Hydro Green Bomb (Atom Bomb)
3. Name of Manufacturer : Muthu Fireworks Industries, Sivakasi
4. Name of Licensee : Shri Pravin Gamaji Motghare
5. Address of Licensee : Bhandara
6. License No. : E/WC/MH.24/472 (E-31934)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 19/11/2015
12. Sample tested on : 19/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	120.9 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/449
2. Brand Name :Saddam Atom Bomb
3. Name of Manufacturer : Mayur Fireworks, Terkheda (M.S)
4. Name of Licensee : Shri Pravin Gamaji Motghare
5. Address of Licensee : Bhandara
6. License No. : E/WC/MH.24/472 (E-31934)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 19/11/2015
12. Sample tested on : 19/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	119.9 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/450
2. Brand Name : Cheema Samurai (Maroon)
3. Name of Manufacturer : The Kanara Fireworks Industries, Sivakasi
4. Name of Licensee : Rathi Fataka Bhandar
5. Address of Licensee : Bhandara
6. License No. : E/WC/MH.24/80 (E-14743)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 19/11/2015
12. Sample tested on : 19/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	117.7 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/451
2. Brand Name : Hydro Bomb Green (Atom Bomb)
3. Name of Manufacturer : Ayyanar Fireworks Industries, Sivakasi
4. Name of Licensee : Rathi Fataka Bhandar
5. Address of Licensee : Bhandara
6. License No. : E/WC/MH.24/80 (E-14743)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 19/11/2015
12. Sample tested on : 19/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	120.0 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/452
2. Brand Name : King of King (Atom Bomb)
3. Name of Manufacturer : Rajukanna Fireworks Industries, Sivakasi
4. Name of Licensee : Rathi Fataka Bhandar
5. Address of Licensee : Bhandara
6. License No. : E/WC/MH.24/80 (E-14743)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 19/11/2015
12. Sample tested on : 19/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	119.9 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/453
2. Brand Name : Krishna (Maroon)
3. Name of Manufacturer : Standard Fireworks, Sivakasi
4. Name of Licensee : Admane Fataka Centre
5. Address of Licensee : Bhandara
6. License No. : E/WC/MH.24/544 (E-53840)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 19/11/2015
12. Sample tested on : 19/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	118.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives




### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/454
2. Brand Name : Three Sound
3. Name of Manufacturer : Win Fireworks Industries, Sivakasi
4. Name of Licensee : Admane Fataka Centre
5. Address of Licensee : Bhandara
6. License No. : E/WC/MH.24/544 (E-53840)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 19/11/2015
12. Sample tested on : 19/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	110.0 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/455
2. Brand Name : Hydro Bomb Green (Atom Bomb)
3. Name of Manufacturer : Jyothi Fireworks Industries, Sivakasi
4. Name of Licensee : Admane Fataka Centre
5. Address of Licensee : Bhandara
6. License No. : E/WC/MH.24/544 (E-53840)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 19/11/2015
12. Sample tested on : 19/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	117.8 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/456
2. Brand Name : Bijili Crackers
3. Name of Manufacturer : Sri Kaleshwari Fireworks Pvt. Limited, Sivakasi
4. Name of Licensee : Admane Fireworks
5. Address of Licensee : Bhandara
6. License No. : E/WC/MH.24/358 (E-25739)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 19/11/2015
12. Sample tested on : 19/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	108.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/457
2. Brand Name : Shogun Bomb Foils (Atom Bomb)
3. Name of Manufacturer : Ayyanar Fireworks Pvt. Limited, Sivakasi
4. Name of Licensee : Admane Fireworks
5. Address of Licensee : Bhandara
6. License No. : E/WC/MH.24/358 (E-25739)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 19/11/2015
12. Sample tested on : 19/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	120.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/458
2. Brand Name : Super Bomb (Atom Bomb)
3. Name of Manufacturer : Ayyanar Fireworks Pvt. Limited, Sivakasi
4. Name of Licensee : Smt. Yogini Waman Hatwar
5. Address of Licensee : Bhandara
6. License No. : E/WC/MH.24/34 (E-14559)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 19/11/2015
12. Sample tested on : 19/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	118.0 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/459
2. Brand Name : Thunder Bomb (Atom Bomb)
3. Name of Manufacturer : Standard Fireworks, Sivakasi
4. Name of Licensee : Smt. Yogini Waman Hatwar
5. Address of Licensee : Bhandara
6. License No. : E/WC/MH.24/34 (E-14559)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 19/11/2015
12. Sample tested on : 19/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	120.1 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/460
2. Brand Name : Lalkar Bomb (Atom Bomb)
3. Name of Manufacturer : Bandukwala Fireworks Industries, Akola
4. Name of Licensee : Smt. Yogini Waman Hatwar
5. Address of Licensee : Bhandara
6. License No. : E/WC/MH.24/34 (E-14559)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 19/11/2015
12. Sample tested on : 19/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	121.4 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/462
2. Brand Name : Soldier Bomb
3. Name of Manufacturer : Vidarbha Fireworks Industries, Akola
4. Name of Licensee : R.V. Tangadpalliwar
5. Address of Licensee : Chandrapur
6. License No. : E/WC/MH/24/235 (E-15108)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 20/11/2015
12. Sample tested on : 20/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	122.4 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives




### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/463
2. Brand Name : Saddam Bomb Green
3. Name of Manufacturer : Swarna Fireworks Factory, Sivakasi
4. Name of Licensee : R.V. Tangadpalliwar
5. Address of Licensee : Chandrapur
6. License No. : E/WC/MH/24/235 (E-15108)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Wardha
10. Sample Drawn on : 03/11/2015
11. Sample received on : 20/11/2015
12. Sample tested on : 20/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	119.8 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/464
2. Brand Name : Mega Flash (Atom Bomb)
3. Name of Manufacturer : Akshyaa Fireworks Industries, Sivakasi
4. Name of Licensee : Harikisen Murlidher Agarwal
5. Address of Licensee : Durgapur, Dist. - Chandrapur
6. License No. : E/WC/MH/24/170 (E-15007)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Wardha
10. Sample Drawn on : 06/11/2015
11. Sample received on : 20/11/2015
12. Sample tested on : 20/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	120.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/465
2. Brand Name : Soldier Bomb Green
3. Name of Manufacturer : Vidarbha Fireworks Industries, Akola
4. Name of Licensee : Harikisen Murlidher Agarwal
5. Address of Licensee : Durgapur, Dist. - Chandrapur
6. License No. : E/WC/MH/24/170 (E-15007)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Wardha
10. Sample Drawn on : 06/11/2015
11. Sample received on : 20/11/2015
12. Sample tested on : 20/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	122.0 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/466
2. Brand Name : Hydrogen Bomb
3. Name of Manufacturer : Parashram Fireworks Industries, Dighori (M.S.)
4. Name of Licensee : Shri Ashok Digambar Adgurwar
5. Address of Licensee : Kasturba Road, Dist. - Chandrapur
6. License No. : E/WC/MH/24/298 (E-15201)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Wardha
10. Sample Drawn on : 07/11/2015
11. Sample received on : 20/11/2015
12. Sample tested on : 20/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	120.8 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/467
2. Brand Name : Commando Bomb
3. Name of Manufacturer : Deepam Fireworks Factory, Sivakasi
4. Name of Licensee : Shri Ashok Digambar Adgurwar
5. Address of Licensee : Kasturba Road, Dist. - Chandrapur
6. License No. : E/WC/MH/24/298 (E-15201)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Wardha
10. Sample Drawn on : 07/11/2015
11. Sample received on : 20/11/2015
12. Sample tested on : 20/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	126.9 dB

Remark:- Sample failed in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives



भारत सरकार  
विस्फोटक विभाग  
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन  
उप मुख्य विस्फोटक नियंत्रक का कार्यालय  
विभागीय परीक्षण केन्द्र,

18 कि.मी. अमरावती रोड, / 18 K.M. Stone Amravati Road  
गोंडखैरी / Gondkhairi,  
नागपुर / Nagpur – 440 023 (M.S.).

दूरभाष / Phone: 07104-240242/240330

फैक्स / Fax: 07104-2403

e-mail:-dyccedts@explosives.gov.in

संख्या/No: DTS/EXP/FW/114/V

दिनांक :17/12/2015

ज्ञापन

विषय : फटाखों के नमूनों की परीक्षण रिपोर्ट भेजने के सम्बन्ध में ।

मुख्य विस्फोटक नियंत्रक नागपुर के ज्ञापन क्रमांक R-4(2)83/Court Case No.44Dt. 23/11/2009 संदर्भ में संयुक्त मुख्य विस्फोटक नियंत्रक, मुम्बई के अधिकारी द्वारा संग्रहित कीये गए निम्नलिखित नमूनों की परीक्षण रिपोर्ट आगामी उचित कार्यवाही हेतु अग्रेषित है ।

Sr. No.	Name of Licensee	License No.	Name of Samples
1	Shri Govind Eknath Shirole, Nasik	DM Lic. No. CPN/02/2005	Jhansi Bomb, 4" Khali Crackers
2	Bhusan Chandra Vispute Nasik	DM Lic. No. CPN/01/2013	Champion Hydro Bomb, 28 Giant
3	Avadhoot Laxmi Fireworks & Enterprises, Malegaon, Nasik	DM Lic. No. CPN/01/2014	Salman Bomb, 3Sound Crackers
4	Mr. Chetan Vardhaman Bajate, Malegaon	DM Lic. No. CPN/01/2015	Majaa Atom Bomb, Saddam Bomb 20Chorsa
5	Smt. Asha Prakash Lahory, Nasik	DM Lic. No. CPN/01/2004	Saddam bomb, Motta Tukkada
6	Mangalmurti Fataka Stall, Nasik	DM Lic. No. CPN/03/2001	Black Commando Bomb 3.5"Laxmi
7	Pritesh Fireworks, Dahanu, Dist.-Palghar	(E- 58175) (E3256)	Jumbo FlowerPot, JaminChakkarDlx. Safari Dlx. Crackers (24 Wala)
8	M.K. Saha, Malad (W) Mumbai	(E-14507)	Mini Bullet, 2 Sound Crackers
9	Bhagyashree Enterprises, Malad(W)	(E- 14823)	28 Chorsa, 3.5"Laxmi
10	Sri Shankarlal Kantilal, Jalna	(E-15017) (E-15020)(E14961)	ThunderbombTitanbombRedfortbomb
11	Sri Govindprasad M. Nimodia, Jalna	(E-14997) (E-14986)	Mini Bullet Josh Atom Bomb
12	Mohan Govindprasad Nimodia, Jalna	(E-31909)	Ghajini Atom Bomb
13	Sri Kishore Sakharam Jain, Jalna	(E-25864)	Classic Star War Foils (Atom Bomb)
14	Sri Narayan Sakharam Jain, Jalna	(E-149730)	Lords of War (Atom Bomb)
15	Nitish Kumar Dilipchnd Jain, Jalna	(E-80918)	Mori Bullet Bomb
16	Sri Prakash Sakharam Jain, Jalna	(E-23003)	Thunder Bomb

परीक्षण के दौरान उपरोक्त अधिकांश नमूने ध्वनि स्तर परीक्षण पर पास पाए गए ।

कृपया परीक्षण रिपोर्टों की प्राप्ति स्वीकार करें ।


संलग्न : परीक्षण रिपोर्ट संख्या : 31 (in 2 sets)

प्रती

श्रीमान मुख्य विस्फोटक नियंत्रक, नागपुर ।

प्रतिलिपी

श्रीमान संयुक्त मुख्य विस्फोटक नियंत्रक, मुम्बई



21311252

(आर.ए. गुजर)

उप मुख्य विस्फोटक नियंत्रक

उप मुख्य विस्फोटक नियंत्रक


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/468
2. Brand Name : Jhansi Bomb Green
3. Name of Manufacturer : Malti Fireworks Factory, Parola (M.S.)
4. Name of Licensee : Shri Govind Eaknath Shirole
5. Address of Licensee : Thakkar Bazar, Nasik
6. License No. : CPN/02/2005
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. Controller of Explosives, Mumbai
10. Sample Drawn on : 05/11/2015
11. Sample received on : 20/11/2015
12. Sample tested on : 20/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	123.0 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/469
2. Brand Name : 4" Khali Crackers (Maroon)
3. Name of Manufacturer : Savitri Fireworks Factory, Parola (M.S.)
4. Name of Licensee : Shri Govind Eaknath Shirole
5. Address of Licensee : Thakkar Bazar, Nasik
6. License No. : CPN/02/2005
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. Controller of Explosives, Mumbai
10. Sample Drawn on : 05/11/2015
11. Sample received on : 20/11/2015
12. Sample tested on : 20/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	119.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives




### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/470
2. Brand Name : Champion Hydro Bomb
3. Name of Manufacturer : New Baba Fireworks, Terkheda (M.S.)
4. Name of Licensee : Shri Bhusan Chandra Vispute
5. Address of Licensee : Nasik
6. License No. : CPN/01/2013
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. Controller of Explosives, Mumbai
10. Sample Drawn on : 05/11/2015
11. Sample received on : 20/11/2015
12. Sample tested on : 20/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	120.8 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/471
2. Brand Name : 28 Giant Crackers
3. Name of Manufacturer : Shree Kumaran Fireworks, Sivakasi
4. Name of Licensee : Shri Bhusan Chandra Vispute
5. Address of Licensee : Nasik
6. License No. : CPN/01/2013
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. Controller of Explosives, Mumbai
10. Sample Drawn on : 05/11/2015
11. Sample received on : 20/11/2015
12. Sample tested on : 20/11/2015

## SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (117.7 dB Max)	116.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/472
2. Brand Name : Salman Bomb
3. Name of Manufacturer : Rajani Fireworks, Alibaug (M.S.)
4. Name of Licensee : Avadhoot Laxmi Fireworks & Enterprises
5. Address of Licensee : Malegaon, Nasik
6. License No. : CPN/01/2014
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. Controller of Explosives, Mumbai
10. Sample Drawn on : 05/11/2015
11. Sample received on : 20/11/2015
12. Sample tested on : 20/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	121.4 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/473
2. Brand Name : 3 Sound Crackers (4")
3. Name of Manufacturer : Win Fireworks Industries, Sivakasi
4. Name of Licensee : Avadhoot Laxmi Fireworks & Enterprises
5. Address of Licensee : Malegaon, Nasik
6. License No. : CPN/01/2014
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. Controller of Explosives, Mumbai
10. Sample Drawn on : 05/11/2015
11. Sample received on : 20/11/2015
12. Sample tested on : 20/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	118.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/474
2. Brand Name : Majaa (Bullet Bomb)
3. Name of Manufacturer : Sakthi Fireworks Factory, Sivakasi
4. Name of Licensee : Mr. Chetan Vardhaman Bajate
5. Address of Licensee : Malegaon, Nasik
6. License No. : CPN/01/2015
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. Controller of Explosives, Mumbai
10. Sample Drawn on : 06/11/2015
11. Sample received on : 20/11/2015
12. Sample tested on : 20/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	119.9 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/475
2. Brand Name : Saddam Bomb
3. Name of Manufacturer : Baba Fireworks, Terkheda (M.S.)
4. Name of Licensee : Mr. Chetan Vardhaman Bajate
5. Address of Licensee : Malegaon, Nasik
6. License No. : CPN/01/2015
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. Controller of Explosives, Mumbai
10. Sample Drawn on : 06/11/2015
11. Sample received on : 20/11/2015
12. Sample tested on : 20/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	120.3 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/476
2. Brand Name : 20 Chorsa
3. Name of Manufacturer : Thamarai Kannan Fireworks, Sivakasi
4. Name of Licensee : Mr. Chetan Vardhaman Bajate
5. Address of Licensee : Malegaon, Nasik
6. License No. : CPN/01/2015
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. Controller of Explosives, Mumbai
10. Sample Drawn on : 06/11/2015
11. Sample received on : 20/11/2015
12. Sample tested on : 20/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (118.4 dB Max)	116.6 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/477
2. Brand Name : Saddam Bomb
3. Name of Manufacturer : Star Fireworks, Vaijapur (M.S.)
4. Name of Licensee : Smt. Asha Prakash Lahory
5. Address of Licensee : Nasik
6. License No. : CPN/01/2004
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. Controller of Explosives, Mumbai
10. Sample Drawn on : 05/11/2015
11. Sample received on : 20/11/2015
12. Sample tested on : 20/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	120.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives




## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/478
2. Brand Name : Motta Tukkada (28 Wala)
3. Name of Manufacturer : Thamarai Kannan Fireworks, Sivakasi
4. Name of Licensee : Smt. Asha Prakash Lahory
5. Address of Licensee : Nasik
6. License No. : CPN/01/2004
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. Controller of Explosives, Mumbai
10. Sample Drawn on : 05/11/2015
11. Sample received on : 20/11/2015
12. Sample tested on : 20/11/2015

## SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (117.7 dB Max)	114.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/479
2. Brand Name : Black Commando Bomb
3. Name of Manufacturer : Zamir Fireworks Industries, Sangamner (M.S.)
4. Name of Licensee : Mangalmurti Fataka Stall
5. Address of Licensee : Nasik
6. License No. : CPN/03/2001
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. Controller of Explosives, Mumbai
10. Sample Drawn on : 06/11/2015
11. Sample received on : 20/11/2015
12. Sample tested on : 20/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	126.2 dB

Remark:- Sample failed in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/480
2. Brand Name : 3.5" Lakshmi
3. Name of Manufacturer : Thamarai Kannan Fireworks, Sivakasi
4. Name of Licensee : Mangalmurti Fataka Stall
5. Address of Licensee : Nasik
6. License No. : CPN/03/2001
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. Controller of Explosives, Mumbai
10. Sample Drawn on : 06/11/2015
11. Sample received on : 20/11/2015
12. Sample tested on : 20/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	118.9 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/489
2. Brand Name : Safari Dlx. Crackers (24 Wala)
3. Name of Manufacturer : Gnanavel Fireworks, Sivakasi
4. Name of Licensee : Pritesh Fireworks, Dahanu
5. Address of Licensee : Dahanu, Dist.- Palghar (M.S.)
6. License No. : (E58175)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. Chief Controller of Explosives, Mumbai
10. Sample Drawn on : 22/10/2015
11. Sample received on : 27/11/2015
12. Sample tested on : 27/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (118.4 dB Max)	101.2dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/490
2. Brand Name : Safari Dlx. Crackers (24 Wala)
3. Name of Manufacturer : Gnanavel Fireworks, Sivakasi
4. Name of Licensee : Pritesh Fireworks, Dahanu
5. Address of Licensee : Dahanu, Dist.- Palghar (M.S.)
6. License No. : E/WC/MH/24/ (E-3256)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. Chief Controller of Explosives, Mumbai
10. Sample Drawn on : 22/10/2015
11. Sample received on : 27/11/2015
12. Sample tested on : 27/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (118.4 dB Max)	101.2dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/491
2. Brand Name : Mini Bullet
3. Name of Manufacturer : Vadivel Pyrotechs, Sivakasi
4. Name of Licensee : M.K. Shaha, Malad (W)
5. Address of Licensee : Malad (W), Mumbai
6. License No. : E/WC/MH/24/21 (E14507)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. Chief Controller of Explosives, Mumbai
10. Sample Drawn on : 01/11/2015
11. Sample received on : 27/11/2015
12. Sample tested on : 27/11/2015

## SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	117.9dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/492
2. Brand Name : 2 Sound Crackers(3.5")
3. Name of Manufacturer : Standard Fireworks, Sivakasi
4. Name of Licensee : M.K. Shaha, Malad (W)
5. Address of Licensee : Malad (W), Mumbai
6. License No. : E/WC/MH/24/21 (E14507)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. Chief Controller of Explosives, Mumbai
10. Sample Drawn on : 01/11/2015
11. Sample received on : 27/11/2015
12. Sample tested on : 27/11/2015

## SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	118.2dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/493
2. Brand Name : 28 Chorsa
3. Name of Manufacturer : Jay Manoj Fireworks, Sivakasi
4. Name of Licensee : Bhagyashree Enterprises, Malad (W)
5. Address of Licensee : Malad (W), Mumbai
6. License No. : E/WC/MH/24/104 (E14823)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. Chief Controller of Explosives, Mumbai
10. Sample Drawn on : 01/11/2015
11. Sample received on : 27/11/2015
12. Sample tested on : 27/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (117.7 dB Max)	114.5dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamga)  
Controller of Explosives




## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/494
2. Brand Name : 3.5" Laxmi
3. Name of Manufacturer : Dinesh Fireworks Industries, Sivakasi
4. Name of Licensee : Bhagyashree Enterprises, Malad (W)
5. Address of Licensee : Malad (W), Mumbai
6. License No. : E/WC/MH/24/104 (E14823)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. Chief Controller of Explosives, Mumbai
10. Sample Drawn on : 01/11/2015
11. Sample received on : 27/11/2015
12. Sample tested on : 27/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	118.3dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/504
2. Brand Name : Thunder Bomb
3. Name of Manufacturer : Standard Fireworks, Sivakasi
4. Name of Licensee : Sri Shankarlal Kantilal
5. Address of Licensee : Sadar Bazar, Dist.- Jalna (M.S.)
6. License No. : E/WC/MH/24/174 (E15017)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Mumbai
10. Sample Drawn on : 24/10/2015
11. Sample received on : 02/12/2015
12. Sample tested on : 03/12/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	124.0dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/505
2. Brand Name : Green Titan (Atom Bomb)
3. Name of Manufacturer : Thangaprakesh Fireworks, Sivakasi
4. Name of Licensee : Sri Shankarlal Kantilal
5. Address of Licensee : Sadar Bazar, Dist.- Jalna (M.S.)
6. License No. : E/WC/MH/24/178 (E15020)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Mumbai
10. Sample Drawn on : 24/10/2015
11. Sample received on : 02/12/2015
12. Sample tested on : 03/12/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	122.1dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/506
2. Brand Name : Red Fort (Atom Bomb)
3. Name of Manufacturer : New Kranti Fireworks, Terkheda, Dist.- Osmanabad
4. Name of Licensee : Sri Shankarlal Kantilal
5. Address of Licensee : Sadar Bazar, Dist.- Jalna (M.S.)
6. License No. : E/WC/MH/24/153 (E14961)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Mumbai
10. Sample Drawn on : 24/10/2015
11. Sample received on : 02/12/2015
12. Sample tested on : 03/12/2015

## SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	120.8dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/507
2. Brand Name : Mini Bullet
3. Name of Manufacturer : Vadivel Pyrotechs, Sivakasi
4. Name of Licensee : Sri Govind Prasad M. Nimodiya
5. Address of Licensee : Dana Bazar, Bhaji Market, Jalna (M.S.)
6. License No. : E/WC/MH/24/167 (E14997)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Mumbai
10. Sample Drawn on : 24/10/2015
11. Sample received on : 02/12/2015
12. Sample tested on : 03/12/2015

## SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	119.3dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/509
2. Brand Name : Josh Atom Bomb
3. Name of Manufacturer : Abbas Fireworks, Terkheda, Dist. - Osmanabad
4. Name of Licensee : Sri Govind Prasad M. Nimodiya
5. Address of Licensee : Dana Bazar, Bhaji Market, Jalna (M.S.)
6. License No. : (E14986)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Mumbai
10. Sample Drawn on : 24/10/2015
11. Sample received on : 02/12/2015
12. Sample tested on : 03/12/2015

## SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	120.9dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/508
2. Brand Name : Ghajini Atom Bomb
3. Name of Manufacturer : Mayur Fireworks, Terkheda, Dist. - Osmanabad
4. Name of Licensee : Sri Mohan Govind Prasad Nimodiya
5. Address of Licensee : Charwaipura, Behind Mahila JPC Bank, Jalna (M.S.)
6. License No. : E/WC/MH/24/469 (E31909)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Mumbai
10. Sample Drawn on : 24/10/2015
11. Sample received on : 02/12/2015
12. Sample tested on : 03/12/2015

## SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	122.5dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/510
2. Brand Name : Classic Star War Foils ( Atom Bomb)
3. Name of Manufacturer : Jai Sarathi Fireworks Industries, Sivakasi
4. Name of Licensee : Sri Kishore Sakharam Jain
5. Address of Licensee : Sweet Mart Nehru Road, Jalna (M.S.)
6. License No. : E/WC/MH/24/409(E25864)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Mumbai
10. Sample Drawn on : 24/10/2015
11. Sample received on : 02/12/2015
12. Sample tested on : 03/12/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	123.4dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives




## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/511
2. Brand Name : Lords of War ( Atom Bomb)
3. Name of Manufacturer : Pepsi Fireworks Industries, Sivakasi
4. Name of Licensee : Sri Narayan Sakharam Jain
5. Address of Licensee : Nehru Road, Jalna (M.S.)
6. License No. : E/WC/MH/24/154(E14973)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Mumbai
10. Sample Drawn on : 24/10/2015
11. Sample received on : 02/12/2015
12. Sample tested on : 03/12/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	120.9dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/512
2. Brand Name : Mori Bullet Bomb
3. Name of Manufacturer : Vijayshree Fireworks Industries, Sivakasi
4. Name of Licensee : Nitish Kumar Dilipchand Jain
5. Address of Licensee : C/o Sakharam Sweet Mart, Nehru Road, Jalna (M.S.)
6. License No. : E/WC/MH/24/572(E80918)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Mumbai
10. Sample Drawn on : 24/10/2015
11. Sample received on : 02/12/2015
12. Sample tested on : 03/12/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	119.8dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/513
2. Brand Name : Thunder Bomb
3. Name of Manufacturer : Standard Fireworks, Sivakasi
4. Name of Licensee : Sri Prakash SaKharam Jain
5. Address of Licensee : Sakharam Sweet Mart, Nehru Road, Jalna (M.S.)
6. License No. : E/WC/MH/24/324(E23003)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Controller of Explosives, Mumbai
10. Sample Drawn on : 24/10/2015
11. Sample received on : 02/12/2015
12. Sample tested on : 03/12/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	120.8dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives



भारत सरकार  
विस्फोटक विभाग

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन  
उप मुख्य विस्फोटक नियंत्रक का कार्यालय

विभागीय परीक्षण केन्द्र,

18 कि.मी. अमरावती रोड, / 18 K.M. Stone Amravati Road  
गोंडखैरी / Gondkhairi,  
नागपुर / Nagpur – 440 023 (M.S.).

दूरभाष / Phone: 07104-240242/240330

फैक्स / Fax: 07104-2403

e-mail:-dyccedts@explosives.gov.in

संख्या/No: DTS/EXP/FW/114/V

दिनांक : 16 /12/2015

ज्ञापन

29 DEC 2015

विषय : फटाखों के नमूनों की परीक्षण रिपोर्ट भेजने के सम्बन्ध में ।

मुख्य विस्फोटक नियंत्रक नागपुर के ज्ञापन क्रमांक R-4(2)83/Court Case No.44Dt. 23/11/2009 संदर्भ में संयुक्त मुख्य विस्फोटक नियंत्रक, मुम्बई के अधिकारी द्वारा संग्रहित कीये गए निम्नलिखित नमूनों की परीक्षण रिपोर्ट आगामी उचित कार्यवाही हेतु अग्रेषित हैं ।

Sr. No.	Name of Licensee	License No.	Name of Samples
1	DBR Trading, Supekurdh, Pune	(E-86277), (E-86228)	100 Wala,
2	Raghunath Pyrotechnic P. Ltd., Supekurdh, Pune	(E-86237), (E-86275), (E-86232), (86261)	100 Wala, 28 Chorsa, Insat Atom Bomb,
3	Unique Fireworks, Supekurdh Pune	(E-86253), (E86225)	100 Wala, Insat Atom Bomb,
4	Saraf Traders, Budhwarpeth, Pune	(E-15096), (E-82379)	4" Krishna, 2.5" Kuruvi, 4" Laxmi
5	Giriraj Trading Company, Pune	(E-82376), (E-82372)	28 Chorsa
6	Bhavna S. Bansol, Supekurdh Pune	(E-15176)	5 Star Bullet Bomb
7	Punecha Phataka Mart, Pune	(E-82384)	4" Laxmi
8	Bapamorya Phataka Mart, Pune	(E-22064)	2.5" Kuruvi
9	Milind Gopal Kulkarni, Pune	(E-15114)	Super Laxmi 4", Khali Atom Bomb
10	Shri Sanjay Suryakant Shah, Pune	(E-15284)	Small Laxmi, Apolo Bomb
11	Shri Harish Vasudeo Jalan, Pune	(E-86911)	Golden Laxmi, Super Bullet Bomb,
12	Shankar Naniram Sukhwani, Pune	(E-25890)	Valvo Bomb, 4" Laxmi,
13	Deepalaxmi Enterprises, Baramati	(E-40892)	Thunder Bomb,
14	B.R. Enterprises, Pune		Jumbo Bomb Green,
15	Shri Tanuja Ajit Singh, Pune	(E-37045)	Hydro Bomb, 2.5" Parrot
16	G.B.R. Trading & Works, Pune	(E-15174)	Parrot (Kuruvi), Laxmi Medium
17	Wadhuram D. Maghwani, Pune	(E-32481)	Dragon Bomb
18	Sukrut Fataka, Pune	(E-42623)	Jwala Bomb, Parrot (Kuruvi)
19	S.S. Crackers, Daund, Pune	(E-14686)	Tusker 4" (Maroon), Hydro omb
20	Shri Rajkumar K. Budhwani, Pune	(E-25868)	Bullet Bomb
21	Sunil Traders, Pune	(E-41744)	4" Jolly Crackers

परीक्षण के दौरान कम संख्या १० और १८ के नमूने ध्वनि स्तर परीक्षण पर फेल पाए गए ।

कृपया परीक्षण रिपोर्टों की प्राप्ति स्वीकार करें ।

संलग्न : परीक्षण रिपोर्ट संख्या : 37 (in 2 sets)

21/12/2015

(आर.ए. गुजर)

उप मुख्य विस्फोटक नियंत्रक

प्रती

श्रीमान मुख्य विस्फोटक नियंत्रक, नागपुर । परीक्षण के दौरान कम संख्या १० और १८ के नमूने ध्वनि स्तर परीक्षण पर फेल पाए गए । अतः मुख्य विस्फोटक नियंत्रक नागपुर, से अनुरोध है कि वे उचित कार्यवाही करें ।

प्रतिलिपी

श्रीमान संयुक्त मुख्य विस्फोटक नियंत्रक, मुम्बई

उप मुख्य विस्फोटक नियंत्रक


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/375
2. Brand Name : 100 Wala
3. Name of Manufacturer : Vadivel Pyrotechs, Sivakasi
4. Name of Licensee : DBR Trading , Supekurdh, Pune
5. Address of Licensee : Superkurdh, Pune
6. License No. : (E-86277)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 18/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (115 dB Max)	103.8 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/376
2. Brand Name : 100 Wala
3. Name of Manufacturer : Vadivel Pyrotechs, Sivakasi
4. Name of Licensee : DBR Trading , Supekurdh, Pune
5. Address of Licensee : Superkurdh, Pune
6. License No. : (E-86228)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 18/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (115 dB Max)	104.6 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/377
2. Brand Name : 100 Wala
3. Name of Manufacturer : Vadivel Pyrotechs, Sivakasi
4. Name of Licensee : Raghunath Pyrotechnics P. Ltd., Supekurdh, Pune
5. Address of Licensee : Superkurdh, Pune
6. License No. : (E-86237)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 18/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (115 dB Max)	104.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/378
2. Brand Name : 100 Wala
3. Name of Manufacturer : Vadivel Pyrotechs, Sivakasi
4. Name of Licensee : Unique Fireworks , Supekurdh, Pune
5. Address of Licensee : Superkurdh, Pune
6. License No. : (E-86253)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 18/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (115 dB Max)	101.8 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives




### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/379
2. Brand Name : 4" Krishna (Maroon)
3. Name of Manufacturer : Standard Fireworks, Sivakasi
4. Name of Licensee : Saraf Traders, Budhwarpeth, Pune
5. Address of Licensee : Budhwarpeth, Pune
6. License No. : (E-15096)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 17/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10 /11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	119.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/380
2. Brand Name : 2.5" Kuruvi
3. Name of Manufacturer : Jayalaxmi Fireworks, Rajpalayam
4. Name of Licensee : Saraf Traders , Budhwarpeth, Pune
5. Address of Licensee : Budhwarpeth, Pune
6. License No. : (E-15096)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 18/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	108.4 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/381
2. Brand Name : 28 Chorsa
3. Name of Manufacturer : Parasakthi Fireworks Industries, Sivakasi
4. Name of Licensee : Raghunath Pyrotechnics P. Ltd., Supekurdh, Pune
5. Address of Licensee : Superkurdh, Pune
6. License No. : (E-86275)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 18/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (117.7 dB Max)	89.1 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/382
2. Brand Name : 28 Chorsa
3. Name of Manufacturer : Velmurugan Fireworks, Sivakasi
4. Name of Licensee : Giriraj Trading Company, Pune
5. Address of Licensee : Pune
6. License No. : (E-82376)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 18/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (117.7 dB Max)	110.6 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/384
2. Brand Name : 28 Chorsa
3. Name of Manufacturer : Parasakthi Fireworks Industries, Sivakasi
4. Name of Licensee : Raghunath Pyrotechnics P. Ltd., Supekurdh, Pune
5. Address of Licensee : Superkurdh, Pune
6. License No. : (E-862~~39~~)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 18/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10 /11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (117.7dB Max)	99.7 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/385
2. Brand Name : 5 Star Bullet Bomb
3. Name of Manufacturer : Damayanthi Fireworks Industries, Sivakasi
4. Name of Licensee : Smt. Bhavna S. Bansol, Pune
5. Address of Licensee : Superkurdh, Pune
6. License No. : (E-15176)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 17/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	117.7 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/386
2. Brand Name : 4" Laxmi (Maroon)
3. Name of Manufacturer : SUN Fireworks, Sivakasi
4. Name of Licensee : Punecha Phataka Mart, Pune
5. Address of Licensee : Pune
6. License No. : (E-82384)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 18/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10 /11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	118.6 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/387
2. Brand Name : 2.5" Kuruvi
3. Name of Manufacturer : Saravanavel Fireworks, Sivakasi
4. Name of Licensee : Bapamorya Phataka Mart, Pune
5. Address of Licensee : Pune
6. License No. : (E-22064)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 17/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10 /11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	115.4 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives




### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/388
2. Brand Name : Insat Atom Bomb
3. Name of Manufacturer : Zamir Fireworks Industries, Sangamner (M.S.)
4. Name of Licensee : Raghunath Pyrotechnics P. Ltd., Supekurdh, Pune
5. Address of Licensee : Superkurdh, Pune
6. License No. : (E-86261)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 17/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	122.9 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/389
2. Brand Name : Insat Atom Bomb
3. Name of Manufacturer : Zamir Fireworks Industries, Sangamner (M.S.)
4. Name of Licensee : Unique Fireworks, Pune
5. Address of Licensee : Superkurdh, Pune
6. License No. : (E-86225)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 17/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	119.3 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/390
2. Brand Name : Super Lakshmi 4" (Maroon)
3. Name of Manufacturer : Sri Peyammal Fireworks, Sivakasi
4. Name of Licensee : Milind Gopal Kulkarni
5. Address of Licensee : Pune
6. License No. : (E-15114)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 17/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10 /11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	116.3 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/391
2. Brand Name : Khali Atom Bomb
3. Name of Manufacturer : Mayur Fireworks, Terkheda Maharashtra
4. Name of Licensee : Milind Gopal Kulkarni
5. Address of Licensee : Pune
6. License No. : (E-15114)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 17/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	119.8 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/392
2. Brand Name : Small Laxmi
3. Name of Manufacturer : Natrajan Fireworks, Sivakasi
4. Name of Licensee : Shri Sanjay Suryakant Shah
5. Address of Licensee : Pune
6. License No. : (E-15284)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 17/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	106.4 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/393
2. Brand Name : Apolo Bomb
3. Name of Manufacturer : Charminar Fireworks, Sangola Maharashtra
4. Name of Licensee : Shri Sanjay Suryakant Shah
5. Address of Licensee : Pune
6. License No. : (E-15284)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 17/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	125.2 dB

Remark:- Sample Fail in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/394
2. Brand Name : Golden Laxmi Deluxe (Maroon)
3. Name of Manufacturer : Ayyanar Fireworks, Sivakasi
4. Name of Licensee : Shri Harish Vasudeo Jalan
5. Address of Licensee : Pune
6. License No. : (E-86911)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 17/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10 /11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	120.8 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/395  
2. Brand Name : Super Bullet Bomb  
3. Name of Manufacturer : Ayyanar Fireworks, Sivakasi  
4. Name of Licensee : Shri Harish Vasudeo Jalan  
5. Address of Licensee : Pune  
6. License No. : (E-86911)  
7. CCE Approval No. : --  
8. Drawing No. : --  
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai  
10. Sample Drawn on : 17/10/2015  
11. Sample received on : 04/11/2015  
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	109.8 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives




## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/396
2. Brand Name : Valvo Bomb
3. Name of Manufacturer : Charminar Fireworks Industries, Sangola, Maharashtra
4. Name of Licensee : Shri Shankar Naniram Sukhwani
5. Address of Licensee : Pune
6. License No. : (E-25890)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 17/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	118.5 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/397
2. Brand Name : Lakshmi 4"
3. Name of Manufacturer : Anil Fireworks Factory, Sivakasi
4. Name of Licensee : Shri Shankar Naniram Sukhwani
5. Address of Licensee : Pune
6. License No. : (E-25890)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 17/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	114.8 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/398
2. Brand Name : Thunder Bomb
3. Name of Manufacturer : Standard Fireworks Industries, Sivakasi
4. Name of Licensee : Deeplaxmi Enterprises, Baramati
5. Address of Licensee : Baramati (Maharashtra)
6. License No. : (E-40892)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 18/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	120.9 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/399
2. Brand Name : Jumbo Bomb Green
3. Name of Manufacturer : Jumbo Fireworks Industries, Sivakasi
4. Name of Licensee : M/s. B.R. Enterprises
5. Address of Licensee : Pune
6. License No. : Not mentioned
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 18/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	118.7 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/400
2. Brand Name : Hydro Bomb
3. Name of Manufacturer : Jantha Fireworks, Sivakasi
4. Name of Licensee : Shri Tanuja Ajit Singh
5. Address of Licensee : Pune
6. License No. : (E-37045)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 17/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	121.4 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/401
2. Brand Name : Parrot 2.5 inch cracker (Kurvi)
3. Name of Manufacturer : Jantha Fireworks, Sivakasi
4. Name of Licensee : Shri Tanuja Ajit Singh
5. Address of Licensee : Pune
6. License No. : (E-37045)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 17/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10 /11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	103.8 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/402
2. Brand Name : Parrot (Kurvi)
3. Name of Manufacturer : Sri Chakra Fireworks, Sivakasi
4. Name of Licensee : M/s. G.B.R. Trading and Works
5. Address of Licensee : Pune
6. License No. : E/WC/MH/24/279(E-15174)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 17/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	103.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/403
2. Brand Name : Lakshmi Medium
3. Name of Manufacturer : Harini Fireworks, Sivakasi
4. Name of Licensee : M/s. G.B.R. Trading and Works
5. Address of Licensee : Pune
6. License No. : E/WC/MH/24/279(E-15174)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 17/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10 /11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	113.8 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives




### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/404
2. Brand Name : Dragan Bomb
3. Name of Manufacturer : Jantha Fireworks Industries, Sivakasi
4. Name of Licensee : Shri Wadhuram D. Maghwani
5. Address of Licensee : Pune
6. License No. : (E-32481)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 17/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	123.9 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/405
2. Brand Name : Jwala Bomb
3. Name of Manufacturer : Charminar Fireworks Industries, Sangola, Maharashtra
4. Name of Licensee : Smt. Dipa Dipak Belhe, Sukrut Fataka
5. Address of Licensee : Pune
6. License No. : E/WC/MH/24/508(E-42623)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 17/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	126.8 dB

Remark:- Sample Fail in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/406  
2. Brand Name : Parrot (Kurvi)  
3. Name of Manufacturer : Sri Ganpath Fireworks, Sivakasi  
4. Name of Licensee : Smt. Dipa Dipak Belhe, Sukrut Fataka  
5. Address of Licensee : Pune  
6. License No. : E/WC/MH/24/508(E-42623)  
7. CCE Approval No. : --  
8. Drawing No. : --  
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai  
10. Sample Drawn on : 17/10/2015  
11. Sample received on : 04/11/2015  
12. Sample tested on : 10 /11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	109.2 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/407
2. Brand Name : Tuskar 4" (Maroon)
3. Name of Manufacturer : Jumbo Fireworks, Sivakasi
4. Name of Licensee : M/s. S.S. Crackers
5. Address of Licensee : Daund, Distt- Pune
6. License No. : E/WC/MH/24/64(E-14686)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 18/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	112.3 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/408  
2. Brand Name : Hydro Bomb  
3. Name of Manufacturer : ANBU Fireworks, Sivakasi  
4. Name of Licensee : M/s. S.S. Crackers  
5. Address of Licensee : Daund, Distt- Pune  
6. License No. : E/WC/MH/24/64(E-14686)  
7. CCE Approval No. : --  
8. Drawing No. : --  
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai  
10. Sample Drawn on : 18/10/2015  
11. Sample received on : 04/11/2015  
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	115.5 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/409
2. Brand Name : 28 Chorsa
3. Name of Manufacturer : Velmurugan Fireworks, Sivakasi
4. Name of Licensee : M/s. Giriraj Trading Company
5. Address of Licensee : Pune
6. License No. : (E-82372)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 18/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (117.7 dB Max)	98.9 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/410
2. Brand Name : Bullet Bomb
3. Name of Manufacturer : Alangar Explosives Industries, Sivakasi
4. Name of Licensee : Shri Rajkumar K. Budhwani
5. Address of Licensee : Pune
6. License No. : E/WC/MH/24/413(E-25868)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 17/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	118.4 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


### TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/411
2. Brand Name : 4" Lakshmi (Maroon)
3. Name of Manufacturer : Sun Fireworks, Sivakasi
4. Name of Licensee : M/s. Saraf Traders
5. Address of Licensee : Pune
6. License No. : (E-82379)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 18/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10 /11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	118.8 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives




## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/412
2. Brand Name : Jolly Crackers 4" (Maroon)
3. Name of Manufacturer : Sri Sun Fireworks, Sivakasi
4. Name of Licensee : M/s. Sunil Traders
5. Address of Licensee : Pune
6. License No. : (E-41744)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Jt. CCE, West Circle, Mumbai
10. Sample Drawn on : 17/10/2015
11. Sample received on : 04/11/2015
12. Sample tested on : 10 /11/2015

### SOUND LEVEL TEST


Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	119.6 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives



भारत सरकार  
विस्फोटक विभाग  
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन  
उप मुख्य विस्फोटक नियंत्रक का कार्यालय  
विभागीय परीक्षण केन्द्र



18 कि.मी. अमरावती रोड, / 18 K.M. Stone Amravati Road  
गोंडखैरी / Gondkhairy,  
नागपुर / Nagpur – 440 023 (M.S.).

दूरभाष / Phone: 07104-240242/240330  
फैक्स / Fax: 07104-2403  
e-mail: [dyccestds@explosives.gov.in](mailto:dyccestds@explosives.gov.in)

संख्या/No: DTS/EXP/FW/115

दिनांक : 11/12/2015  
15 DEC 2015

ज्ञापन

विषय : फटाखो के नमूनों की परीक्षण रिपोर्ट भेजने के सम्बन्ध में ।

मुख्य विस्फोटक नियंत्रक के ज्ञापन क्रमांक R-4(2)83/Court Case No.44Dt. 23/11/2009 संदर्भ में उप मुख्य विस्फोटक नियंत्रक वडोदरा, गुजरात के अधिकारी द्वारा संग्रहित कीये गए निम्नलिखित नमूनों की परीक्षण रिपोर्ट आगामी उचित कार्यवाही हेतु अग्रेषित हैं ।

Sr. No.	Name of Licensee	License No.	Name of Samples
1	M/s Sri Sai Traders, Dist.- Anand, Gujrat	E/WB/GJ/24/3(E-88188)	Bullet Bomb
2	M/s Mannan Traders, Dist.- Anand, Gujrat	E/WB/GJ/24/2(E-88187)	Hunder 20Dlx.
3	M/s Baba Traders, Dist.- Anand, Gujrat	E/WB/GJ/24/4(E-88189)	4" Deluxe Laxmi
4	M/s Baba Traders, Dist.- Anand, Gujrat	E/WB/GJ/24/1(E-88185)	1000 Wala Garland
5	M/s Shriram Crackers Dist.- Anand, Gujrat	(E-25932)	Hulk Crackers (9cm)
6	M/s Sapna Enterprises, Bhavnagar, Gujrat	(E- 25580) & (E-25408)	King of Kango, Valvo Classic Bomb, Rajesh Classic Bomb, Commando Bomb, Nazi Green (Atom Bomb)

परीक्षण के दौरान उपरोक्त अधिकांश नमूने ध्वनि स्तर परीक्षण पर पास पाए गए ।

कृपया परीक्षण रिपोर्टों की प्राप्ति स्वीकार करें ।

संलग्न : परीक्षण रिपोर्ट संख्या :10 (in 2 sets)

21/12/2015

(आर.ए. गुजर)

उप मुख्य विस्फोटक नियंत्रक

प्रती

श्रीमान मुख्य विस्फोटक नियंत्रक, नागपुर ।

प्रतिलिपी

श्रीमान उप मुख्य विस्फोटक नियंत्रक , वडोदरा

उप मुख्य विस्फोटक नियंत्रक


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/263
2. Brand Name : King of kango (atom bomb)
3. Name of Manufacturer : Wetwo Fireworks, Industries, Sivakasi
4. Name of Licensee : Sapana Enterprises
5. Address of Licensee : Bhavnagar, Gujarat
6. License No. : E/WC/GJ/24/186 (E25580)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. CCE, Vadodara
10. Sample Drawn on : --
11. Sample received on : 26/10/2015
12. Sample tested on : 05/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	120.6 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/264  
2. Brand Name : Valvo classic bomb  
3. Name of Manufacturer : Azad Fireworks, factory, Sivakasi  
4. Name of Licensee : Sapana Enterprises  
5. Address of Licensee : Bhavnagar, Gujarat  
6. License No. : E/WC/GJ/24/186 (E25580)  
7. CCE Approval No. : --  
8. Drawing No. : --  
9. Sample Drawn by : Dy. CCE, Vadodara  
10. Sample Drawn on : ---  
11. Sample received on : 26/10/2015  
12. Sample tested on : 05/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	118.5 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/265
2. Brand Name : Rajesh classic bomb
3. Name of Manufacturer : Rajesh Fireworks, Industries, Sivakasi
4. Name of Licensee : Sapana Enterprises
5. Address of Licensee : Bhavnagar, Gujarat
6. License No. : Doc. No. (E25408)
7. CCE Approval No. : ---
8. Drawing No. : --
9. Sample Drawn by : Dy. CCE, Vadodara
10. Sample Drawn on : ----
11. Sample received on : 26/10/2015
12. Sample tested on : 05/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	116.7 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/266
2. Brand Name : Commando bomb
3. Name of Manufacturer : Supreme Fireworks Factory, Sivakasi
4. Name of Licensee : Sapana Enterprises
5. Address of Licensee : Bhavnagar, Gujarat
6. License No. : Doc. No. (E25408)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. CCE, Vadodara
10. Sample Drawn on : ---
11. Sample received on : 26/10/2015
12. Sample tested on : 05/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	120.8 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/267
2. Brand Name : Nazi Green bomb
3. Name of Manufacturer : Coronation Fireworks Factory , Sivakasi
4. Name of Licensee : Sapana Enterprises
5. Address of Licensee : Bhavnagar, Gujarat
6. License No. : Doc. No. (E25408)
7. CCE Approval No. : ---
8. Drawing No. : ---
9. Sample Drawn by : Dy. CCE, Vadodara
10. Sample Drawn on : ----
11. Sample received on : 26/10/2015
12. Sample tested on : 05/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	121.4 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/285
2. Brand Name : Bullet bomb
3. Name of Manufacturer : Jaibhawani Fireworks, Sivakasi
4. Name of Licensee : Sri Sai Traders
5. Address of Licensee : Dist.- Anand, Gujarat
6. License No. : E/WC/GJ/24/3 (E88188)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. CCE, Vadodara
10. Sample Drawn on : --
11. Sample received on : 30/10/2015
12. Sample tested on : 09/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	112.6 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives




## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/286
2. Brand Name : Hunder 20 Deluxe
3. Name of Manufacturer : Shri Balagroup Fireworks, Sivakasi
4. Name of Licensee : Mannan Traders
5. Address of Licensee : Dist.- Anand, Gujarat
6. License No. : E/WC/GJ/24/2 (E88187)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. CCE, Vadodara
10. Sample Drawn on : 16/10/2015
11. Sample received on : 30/10/2015
12. Sample tested on : 09/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (118.4 dB Max)	114.7 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/287  
2. Brand Name : Laxmi Deluxe (4")  
3. Name of Manufacturer : Rishikesh Fireworks, Sivakasi  
4. Name of Licensee : Baba Traders  
5. Address of Licensee : Dist.- Anand, Gujarat  
6. License No. : E/WC/GJ/24/4 (E88189)  
7. CCE Approval No. : --  
8. Drawing No. : --  
9. Sample Drawn by : Dy. CCE, Vadodara  
10. Sample Drawn on : 16/10/2015  
11. Sample received on : 30/10/2015  
12. Sample tested on : 09/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	116.5 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/288  
2. Brand Name : 1000 Wala Garland  
3. Name of Manufacturer : Sri Sivasakti Fireworks, Sivakasi  
4. Name of Licensee : Baba Traders  
5. Address of Licensee : Dist.- Anand, Gujarat  
6. License No. : E/WC/GJ/24/4 (E88189)  
7. CCE Approval No. : --  
8. Drawing No. : --  
9. Sample Drawn by : Dy. CCE, Vadodara  
10. Sample Drawn on : 16/10/2015  
11. Sample received on : 30/10/2015  
12. Sample tested on : 09/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (110 dB Max)	108.3 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge)  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/289
2. Brand Name : Hulk Cracker(9cm)
3. Name of Manufacturer : A.R.J. Fireworks, Sivakasi
4. Name of Licensee : Shivam Crackers
5. Address of Licensee : Dist.- Anand, Gujarat
6. License No. : E-25932
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. CCE, Vadodara
10. Sample Drawn on : 16/10/2015
11. Sample received on : 30/10/2015
12. Sample tested on : 09/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	119.4 dB

Remark:- Sample Pass in Sound Level Test.

  
(A..B.Tamgadge )  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/263
2. Brand Name : King of kango (atom bomb)
3. Name of Manufacturer : Wetwo Fireworks, Industries, Sivakasi
4. Name of Licensee : Sapana Enterprises
5. Address of Licensee : Bhavnagar, Gujarat
6. License No. : E/WC/GJ/24/186 (E25580)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. CCE, Vadodara
10. Sample Drawn on : --
11. Sample received on : 26/10/2015
12. Sample tested on : 05/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	120.6 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/264
2. Brand Name : Valvo classic bomb
3. Name of Manufacturer : Azad Fireworks, factory, Sivakasi
4. Name of Licensee : Sapana Enterprises
5. Address of Licensee : Bhavnagar, Gujarat
6. License No. : E/WC/GJ/24/186 (E25580)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. CCE, Vadodara
10. Sample Drawn on : ---
11. Sample received on : 26/10/2015
12. Sample tested on : 05/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	118.5 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/265  
2. Brand Name : Rajesh classic bomb  
3. Name of Manufacturer : Rajesh Fireworks, Industries, Sivakasi  
4. Name of Licensee : Sapana Enterprises  
5. Address of Licensee : Bhavnagar, Gujarat  
6. License No. : Doc. No. (E25408)  
7. CCE Approval No. : ---  
8. Drawing No. : --  
9. Sample Drawn by : Dy. CCE, Vadodara  
10. Sample Drawn on : ----  
11. Sample received on : 26/10/2015  
12. Sample tested on : 05/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	116.7 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/266
2. Brand Name : Commando bomb
3. Name of Manufacturer : Supreme Fireworks Factory, Sivakasi
4. Name of Licensee : Sapana Enterprises
5. Address of Licensee : Bhavnagar, Gujarat
6. License No. : Doc. No. (E25408)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. CCE, Vadodara
10. Sample Drawn on : ---
11. Sample received on : 26/10/2015
12. Sample tested on : 05/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	120.8 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives




## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/267
2. Brand Name : Nazi Green bomb
3. Name of Manufacturer : Coronation Fireworks Factory , Sivakasi
4. Name of Licensee : Sapana Enterprises
5. Address of Licensee : Bhavnagar, Gujarat
6. License No. : Doc. No. (E25408)
7. CCE Approval No. : ---
8. Drawing No. : ---
9. Sample Drawn by : Dy. CCE, Vadodara
10. Sample Drawn on : ----
11. Sample received on : 26/10/2015
12. Sample tested on : 05/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	121.4 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/285
2. Brand Name : Bullet bomb
3. Name of Manufacturer : Jaibhawani Fireworks, Sivakasi
4. Name of Licensee : Sri Sai Traders
5. Address of Licensee : Dist.- Anand, Gujarat
6. License No. : E/WC/GJ/24/3 (E88188)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. CCE, Vadodara
10. Sample Drawn on : --
11. Sample received on : 30/10/2015
12. Sample tested on : 09/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	112.6 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/286
2. Brand Name : Hunder 20 Deluxe
3. Name of Manufacturer : Shri Balagroup Fireworks, Sivakasi
4. Name of Licensee : Mannan Traders
5. Address of Licensee : Dist.- Anand, Gujarat
6. License No. : E/WC/GJ/24/2 (E88187)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. CCE, Vadodara
10. Sample Drawn on : 16/10/2015
11. Sample received on : 30/10/2015
12. Sample tested on : 09/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (118.4 dB Max)	114.7 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/287
2. Brand Name : Laxmi Deluxe (4")
3. Name of Manufacturer : Rishikesh Fireworks, Sivakasi
4. Name of Licensee : Baba Traders
5. Address of Licensee : Dist.- Anand, Gujarat
6. License No. : E/WC/GJ/24/4 (E88189)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. CCE, Vadodara
10. Sample Drawn on : 16/10/2015
11. Sample received on : 30/10/2015
12. Sample tested on : 09/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	116.5 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/288
2. Brand Name : 1000 Wala Garland
3. Name of Manufacturer : Sri Sivasakti Fireworks, Sivakasi
4. Name of Licensee : Baba Traders
5. Address of Licensee : Dist.- Anand, Gujarat
6. License No. : E/WC/GJ/24/4 (E88189)
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. CCE, Vadodara
10. Sample Drawn on : 16/10/2015
11. Sample received on : 30/10/2015
12. Sample tested on : 09/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (110 dB Max)	108.3 dB

Remark:- Sample Pass in Sound Level Test.

  
(A.B. Tamgadge )  
Controller of Explosives


## TEST REPORT OF CRACKERS

1. Sample No. : TS/E/7(2)/15/289
2. Brand Name : Hulk Cracker(9cm)
3. Name of Manufacturer : A.R.J. Fireworks, Sivakasi
4. Name of Licensee : Shivam Crackers
5. Address of Licensee : Dist.- Anand, Gujarat
6. License No. : E-25932
7. CCE Approval No. : --
8. Drawing No. : --
9. Sample Drawn by : Dy. CCE, Vadodara
10. Sample Drawn on : 16/10/2015
11. Sample received on : 30/10/2015
12. Sample tested on : 09/11/2015

### SOUND LEVEL TEST

Sr. No.	Description	Specified Value	Observed Value
1	Sound Level Test	AI (125 dB Max)	119.4 dB

Remark:- Sample Pass in Sound Level Test.

  
(A..B.Tamgadge )  
Controller of Explosives